



BOOKMATCH SERIES COLLECTION

600 X 600 MM SGVT

MATT

Bookmatch Series
600x600mm



WHITE BODY SGVT
PORCELAIN TILES

WHITE BODY PORCELAIN TILES

Tiles emerged through passion to make eco friendly engineered stone products without hurting the nature, almost all raw materials used are from recycled products, hence making the product eco friendly.

Tiles have not been created just to satisfy the need for style and design, but also meet all performance tests and have shown excellent outdoor and indoor durability, making them suitable for any weather & climate conditions.

Trust, quality and reliability have been the watchwords of TILES and they plan to continue fulfilling the expectation of their vast array of customers. Total customers satisfaction via adoption of quality management system in all spheres of activity guarantee adherence to predecided standard. The company nurtures each relationship be it with the trade, consumer or supplies. this has established TILES as a reliable and trustworthy entity capable of overcoming market challenges.



PORCELAIN TILES
600X600MM

117



Series
Book Match




PORCELAIN TILES
600X600MM

504



 **Series**
Book Match



PORCELAIN TILES
600X600MM

571




 **Series**
Book Match




PORCELAIN TILES
600X600MM

578



 **Series
Book Match**




PORCELAIN TILES
600X600MM

580




Series
Book Match



PORCELAIN TILES
600X600MM

614



Series
Book Match




616



Series
Book Match






PORCELAIN TILES
600X600MM

640



 **Series
Book Match**




PORCELAIN TILES
600X600MM

5001



 **Series
Book Match**




PORCELAIN TILES
600X600MM

5002



Series
Book Match




PORCELAIN TILES
600X600MM

5003




Series
Book Match



PORCELAIN TILES
600X600MM

5004



 **Series**
Book Match




PORCELAIN TILES
600X600MM

5005




 **Series**
Book Match




PORCELAIN TILES
600X600MM

5006



 **Series**
Book Match




PORCELAIN TILES
600X600MM

5007




 **Series**
Book Match




PORCELAIN TILES
600X600MM

5008



 **Series**
Book Match




PORCELAIN TILES
600X600MM

5009




 **Series**
Book Match




PORCELAIN TILES
600X600MM

5010



 **Series**
Book Match




PORCELAIN TILES
600X600MM

5011



 **Series**
Book Match




PORCELAIN TILES
600X600MM

5012



Series
Book Match




PORCELAIN TILES
600X600MM

5013




 **Series**
Book Match




PORCELAIN TILES
600X600MM

5014



 **Series**
Book Match



PORCELAIN TILES
600X600MM

5015




Series
Book Match




PORCELAIN TILES
600X600MM

5016



 **Series
Book Match**




PORCELAIN TILES
600X600MM

5017



 **Series
Book Match**



PORCELAIN TILES
600X600MM

5018



Series
Bookmatch



PORCELAIN TILES
600X600MM

5019



Series
Bookmatch



PORCELAIN TILES
600X600MM

5020



Series
Bookmatch



PORCELAIN TILES
600X600MM

5021



 **Series**
Book Match



PORCELAIN TILES
600X600MM

5022



 **Series**
Book Match



PORCELAIN TILES
600X600MM

5023



 **Series**
Book Match



PORCELAIN TILES
600X600MM

5024




Series
Bookmatch



PORCELAIN TILES
600X600MM

5025



Series
Bookmatch




PORCELAIN TILES
600X600MM

5026



Series
Bookmatch



PORCELAIN TILES
600X600MM

5027




 **Series**
Book Match




PORCELAIN TILES
600X600MM

5028




Series
Book Match




PORCELAIN TILES
600X600MM

5029



Series
Book Match




PORCELAIN TILES
600X600MM

5030



 **Series
Book Match**



TECHNICAL SPECIFICATION

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	± 3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE 3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 - 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	NIII	NIII	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note : Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer Are advised to inspect a sample of the tiles before ordering every effort has been made to ensure the Accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as on responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAIL

Size	Thickness	No. of Tiles	Area Approx.	Weight Approx.
600 X 600 MM	9 MM	4 Pcs.	1.44 Sq. Mtr.	28 Kg.

UTILITY OF FLOOR TILES





Address :

Lalpar,morbi.363641

Mail-sales@itoneceramic.in

Web-www.itoneceramic.in